00000542 MATERIAL SAFETY DATA SHEET Page 1

Tri Art Manufacturing Inc. 4 Harvey Street Kingston; Ontario; K7K 5B9 Canada

#### PRODUCT: Tri-Art Sludge

#### Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity...... Tri-Art Sludge Thick and Thin Manufacturer name and address.... Tri-art Manufacturing Inc.
4 Harvey Street Kingston

Ontario Canada K7K 5B9

Chemical family...... Water based paint mixture.

# Section 09: PHYSICAL AND CHEMICAL PROPERTIESSection 02: HAZARDS IDE

Hazard Classification / Category.

Non-toxic - does not meet OSHA Hazard Communication classification criteria.

Non-toxic.

Precautionary Statements.

Description of Hazards.

Direct skin contact may result in little or no irritation. Prolonged contact, may be more irritating. Eye contact may result in little or no irritation. If ingested, may cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Mixtures Statement.

This product formulation has been reviewed by a board certified toxicologist in accordance with ASTM D4263. The product is judged to be non toxic. This product does not require a warning label.

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS					
Hazardous Ingredients	CAS#	Wt. %			
CALCIUM CARBONATE	1317-65-3	1-5			
CARBON BLACK	1333-86-4	0.1-1.0*			
TITANIUM DIOXIDE	13463-67-7	1-5 *			

# Section 04: FIRST AID MEASURES

Eye Contact	
	seek prompt medical attention.
Ingestion	Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a
<b>G</b>	physician.
Inhalation	
Skin Contact	Wash off with soap and plenty of water. In the unlikely event that irritation occurs, consult
	with your doctor.
Additional Information	Treat symptomatically

#### 00000542 **MATERIAL SAFETY DATA SHEET** Page 2

# PRODUCT: Tri-Art Sludge

### Section 05: FIRE FIGHTING MEASURES

Extinguishing Media..... This product does not burn in its liquid form. Use extinguishing media suitable to the surrounding fire.

Hazardous Combustion Products..... Carbon oxides in the event the dried paint is involved in a fire.

Special Fire Fighting Procedures..... None required for this product.

Unusual Fire/Explosion Hazards..... Not flammable under normal conditions of use. This product is not sensitive to mechanical impact or static discharge.

# Section 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions..... Spills on floors can create a slip hazard. Adequate precautions should be taken when

walking on spilled product. Keep children and all others away from spilled material. Emergency Procedures.....

Use suitable absorbent materials such as cloth, rags, sponges, or paper towels . Contain and wipe up the spill with absorbent material or cloth. Rinse the cloth with water Methods / Materials For Containment.....

15 mg/m3 Total dust Not established

and repeat the process until surface is clean and dry of spilled material

# Section 07: HANDLING AND STORAGE

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from extreme heat and flame. Keep containers tightly closed when not in use. Store in a cool, dry, well ventilated area. Do not freeze. Recommended storage temperature: 0 - 30°C (32 - 86°F). Handling Precautions.....

Storage Requirements.....

# Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment..... No personal protective equipment is necessary when handling or using this product. No special protective clothing is required to use this product.

Clothing/Type..... Take the necessary precautions to avoid liquid contact with eyes.

No gloves are required to handle this product. No special ventilation requirements are necessary for this product.

Not established

TITANIUM DIOXIDE

Ingredients	TWA	GIH TLV STEL	PEL	A PEL STEL	NIOSH REL
CALCIUM CARBONAT	E Not established	Not established	15 mg/m3 Total dust; 5 mg/m3 Respirable fraction	Not established	10 mg/m3 Total dust; 5 mg/m3 Respirable fraction
CARBON BLACK			•		•

### Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance..... Liquid or Paste. Various colors. Odour. Mild odour. Odour Threshold (ppm)..... Vapour Density (Air = 1)..... No data. No data Not available. 8.8 - 9.2. Vapour Pressure (mm Hg)..... pH.....Relative Density / Specific Gravity..... 1.02-1.67 Melting / Freezing Point. Solubility ° C / 32° F. Dilutable in water.

10 mg/m3

Lowest feasible concentration

# 00000542 MATERIAL SAFETY DATA SHEET Page 3

#### PRODUCT: Tri-Art Sludge

Toxicological Data

# Section 09: PHYSICAL AND CHEMICAL PROPERTIES

#### **Section 10: STABILITY AND REACTIVITY**

#### Section 11: TOXICOLOGICAL INFORMATION

Route Of Exposure..... Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be generated during intended use of this product. Do not take internally or ingest this product. Ingestion of large amounts may be harmful. If product is heated or mists are formed, Effects Of Acute Exposure..... inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. None know Effects Of Chronic Exposure..... This product has been reviewed by a board certified toxicologist and is judged to be non Carcinogenicity Of Material..... toxic Aggravated Medical Conditions..... None are anticipated under normal use. Use of this product following our recommended instructions should not cause any health hazards, other than those indicated above . Note.....

Ingredients LC50-inh, rat LD50-Oral,rat

CALCIUM CARBONATE Not available >2,000 mg/kg Rat oral

CARBON BLACK Not available >5000 mg/kg Rat oral

TITANIUM DIOXIDE >6820 mg/m3 4 hr. rat >24,000 mg/kg Rat oral

### Section 12: ECOLOGICAL INFORMATION

#### **Section 13: DISPOSAL CONSIDERATIONS**

Item Numbers: 03502-1000, 03502-1001, 03502-1378, 03502-1500 Page 3 of 4

#### 00000542 **MATERIAL SAFETY DATA SHEET** Page 4

# PRODUCT: Tri-Art Sludge

# **Section 14: TRANSPORT INFORMATION**

UN Number. Not regulated. UN Proper Name.....Transport Hazard Classification..... Not regulated. Not regulated. Packaging Group (If Applicable)..... Not regulated. None known. Not regulated Any Special Precautions..... None known

#### **Section 15: REGULATORY INFORMATION**

Globally Harmonized System Classification.. CEPA Status......TSCA Inventory Status..... Not classified. The ingredients in this product appear on the DSL . All ingredients are listed on the TSCA inventory. OSHA.....SARA TITLE III
Section 311/312 - Hazard Categories.....Section 302 - Extremely Hazardous This product is not considered hazardous Not applicable.

None.

This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations. SARA Section 313..... EPA Hazardous Air Pollutants (HAPS) .......

40CFR63 HS Code. 3213.10.00.00

HS Code.....California Proposition 65..... Titanium dioxide is known by the state of California to cause cancer. However, Titanium dioxide is listed when found in unbound, airborne particles of respirable size. Carbon black is known by the state of California to cause cancer. However, Carbon black is listed when found in unbound, airborne particles of respirable size.

#### **Section 16: OTHER INFORMATION**

Tri-Art Mfg. Inc.
This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier information. The information in the Safety Data Sheet is off ered for your consideration and guidance when exposed to this product. Tri-Art Manufacturing Inc. disclaims all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of Prepared By.....

the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process. This Material Safety Data Sheet may not be changed, or

altered in any way without the expressed knowledge and permission of Tri-Art Manufacturing Inc.