Tri Art Manufacturing Inc. 4 Harvey Street Kingston; Ontario; K7K 5B9 Canada

PRODUCT: Finest Quality Acrylic Liquids

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity...... Finest Quality Acrylic Liquids Manufacturer name and address..... Tri-art Manufacturing Inc.

4 Harvey Street

Kingston Ontario Canada K7K 5B9

1-888-541-0299

24 hour emergency phone number............... (613) 541-0299 (9 am to 5 pm EST).

product line.

Section 02: HAZARDS IDENTIFICATION

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredients	CAS#	Wt. %		
PROPYLENE GLYCOL	57-55-6	1-5		
TITANIUM DIOXIDE	13463-67-7	1-5 *		
CARBON BLACK	1333-86-4	0.1-1 *		
*Carbon Black is an ingredient in	the			

*Carbon Black is an ingredient in the following colours: Carbon Black, Golden Orange, Iridescent Bronze, Paynes Grey, and Transparent Brown

* Titanium Dioxide is an ingredient in the following colours: Brilliant Purple, Cadmium Red Medium, Cadmium Yellow Medium, Cerulean Blue, Cobalt Blue, Cobalt Teal, Magenta Light, Manganese Blue, Naples Yellow, Neutral Grey, Phthalo Turquoise Light, Portrait Tone, Primary Cyan, Primary Magenta, Primary Yellow, Titanium White, Unbleached Titanium, and Warm White

Section 04: FIRST AID MEASURES

Eye Contact	Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.
Ingestion	Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a
InhalationSkin Contact	physician. Unintentional inhalation of this product should not pose any health risks Wash off with soap and plenty of water. In the unlikely event that irritation occurs, consult
Additional Information	with your doctor.

PRODUCT: Finest Quality Acrylic Liquids

Unusual Fire/Explosion Hazards.....

Section 05: FIRE FIGHTING MEASURES

Extinguishing Media..... This product does not burn in its liquid form. Use extinguishing media suitable to the surrounding fire.

Hazardous Combustion Products..... Carbon oxides in the event the dried paint is involved in a fire.

Special Fire Fighting Procedures..... None required for this product. .

Not flammable under normal conditions of use. This product is not sensitive to mechanical impact or static discharge.

Section 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions..... Spills on floors can create a slip hazard. Adequate precautions should be taken when walking on spilled product.

Keep children and all others away from spilled material. Emergency Procedures.....

Use suitable absorbent materials such as cloth, rags, sponges, or paper towels . Contain and wipe up the spill with absorbent material or cloth. Rinse the cloth with water Methods / Materials For Containment..... Clean Up..... and repeat the process until surface is clean and dry of spilled material

Section 07: HANDLING AND STORAGE

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away Handling Precautions..... from extreme heat and flame. Keep containers tightly closed when not in use. Storage Requirements.....

Store in a cool, dry, well ventilated area. Do not freeze. Recommended storage

temperature: 0 - 30°C (32 - 86°F).

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits							
Ingredients	TWA ACGI	H TLV STEL	OSH <i>A</i> PEL	A PEL STEL	NIOSH REL		
PROPYLENE GLYCOL TITANIUM DIOXIDE	10 vmg/m3 10 mg/m3	Not established Not established	Not established 15 mg/m3 Total dust	Not established Not established	Not established Lowest feasible concentration		
CARBON BLACK	3.5 mg/m3 dust only	Not established	3.5 mg/m3 dust only	Not established	3.5 mg/m3 dust only		

*Carbon Black is an ingredient in the following colours: Carbon Black, Golden Orange, Iridescent Bronze, Paynes Grey, and Transparent Brown

* Titanium Dioxide is an ingredient in the following colours: Brilliant Purple, Cadmium Red Medium, Cadmium Yellow Medium, Cerulean Blue, Cobalt Blue, Cobalt Teal, Magenta Light, Manganese Blue, Naples Yellow, Neutral Grey, Phthalo Turquoise Light, Portrait Tone, Primary Cyan, Primary Magenta, Primary Yellow, Titanium White, Unbleached Titanium, and Warm White

No personal protective equipment is necessary when handling or using this product.

No special protective clothing is required to use this product. Clothing/Type..... Eye/Type.....

Take the necessary precautions to avoid liquid contact with eyes.

Gloves/Type..... No gloves are required to handle this product. Engineering Controls.....

No special ventilation requirements are necessary for this product.

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance..... Color..... Various colors. Odour..... Mild odour. Odour Threshold (ppm)..... No data.

Protective Equipment.....

PRODUCT: Finest Quality Acrylic Liquids

* Titanium Dioxide is an ingredient in the following colours: Brilliant Purple, Cadmium Red Medium, Cadmium Yellow Medium, Cerulean Blue, Cobalt Blue, Cobalt Teal, Magenta Light, Manganese Blue, Naples Yellow, Neutral Grey, Phthalo Turquoise Light, Portrait Tone, Primary Cyan, Primary Magenta, Primary Yellow, Titanium White, Unbleached Titanium, and Warm

White

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Vapour Density (Air = 1)..... No data. Vapour Pressure (mm Hg)..... Similar to water. pH.....Relative Density / Specific Gravity..... 8.5 - 9.5. 1.02 - 1.40 (calculated). 0° C / 32° F. Melting / Freezing Point..... SolubilityInitial Boiling Point / Boiling Range..... Dilutable in water. 100°C / 212°F. Evaporation Rate......Flash Point (deg C), Method..... Similar to water. Non-flammable. Auto Ignition Temperature (deg C)..... Not applicable. Not applicable. Not applicable. No data. % Volatile By Weight..... 71-75%. Decomposition Temperature..... No data. 300 - 800 poise #3 spindle. Viscosity.....

Section 10: STABILITY AND REACTIVITY

Section 11: TOXICOLOGICAL INFORMATION

Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be Route Of Exposure..... generated during intended use of this product. Do not take internally or ingest this product. Effects Of Acute Exposure..... Ingestion of large amounts may be harmful. If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Effects Of Chronic Exposure..... None known. Carcinogenicity Of Material..... Some colours contain carbon black, an IARC 2B carcinogen. However, the carbon black used in this product is in a non-respirable form and under normal conditions of use carbon black cannot become airborne. The carcinogenic effects of carbon black are therefore not applicable to this product. Some colours contain titanium dioxide, an IARC Group 2B carcinogen. However, the titanium dioxide used in this product is in a non respirable form and under normal conditions of use, Titanium dioxide cannot become airborne. The carcinogenic effects of titanium dioxide are therefore not applicable to this product. None are anticipated under normal use. Aggravated Medical Conditions..... Use of this product following our recommended instructions should not cause any health Note..... hazards, other than those indicated above .

Toxicological Data				
Ingredients	LC50-inh, rat	LD50-Oral,rat		
PROPYLENE GLYCOL	Not available	22,000 mg/kg Rat oral; 20,800 Rabbit dermal		
TITANIUM DIOXIDE	>6820 mg/m3 4 hr. rat	>24,000 mg/kg Rat oral		
CARBON BLACK	No data	> 8000 mg/kg oral rat		
*Carbon Black is an ingredient in the following colours: Carbon Black, Golden Orange, Iridescent Bronze, Paynes Grey, and Transparent Brown				

PRODUCT: Finest Quality Acrylic Liquids

Section 12: ECOLOGICAL INFORMATION

Data From Toxicity Tests...... Data from toxicity tests are not available at this time .

Environmental...... No data at this time .

Bioaccumulation Potential.

Other Adverse Effects.

Absorption Potential.

No data available at this time.

No data available at this time.

No data available at this time.

Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods...... Empty containers should be recycled in accordance with local municipal recycling

practices. Containers that are not empty should be brought to your local waste paint

recycling facility

Properties Affect Disposal...... None anticipated.

Section 14: TRANSPORT INFORMATION

Section 15: REGULATORY INFORMATION

OSHA.....SARA TITLE III

Section 302 - Extremely Hazardous None.

Substances

Section 311/312 - Hazard Categories...... Not applicable.

Toxic Chemical constituents above de minimus concentrations.

EPA Hazardous Air Pollutants (HAPS) None.

40CFR63

HS Code....

3213.10.00.00.

found in unbound, airborne particles of respirable size.

Section 16: OTHER INFORMATION

product or in any other process. This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Tri-Art

Manufacturing Inc.

Preparation Date...... Oct23/14